


Aquagym Swim Spa Technical Information Pack




Dimensions: 398 x 231 x 130cm

A compact swim spa that retains all the bells and whistles.



Aquagym Plunge Swim Spa



Dimensions: 398 x 231 x 130cm

 2×127 mm Directional Jets


- \odot 10 x 50mm Directional Jets
- 14 x 40mm Air Jets ⊛






Aquagym Pro Swim Spa

Dimensions: 398 x 231 x 130cm





Aquagym Pro Plus Swim Spa




Dimensions: 398 x 231 x 130cm

- () 3 x 150mm Swim Jets
- O 2 x 75mm Directional Jets
- 14 x 40mm Air Jets

- (5) 3 x 127mm Single Spinning Jets
- 10 x 50mm Directional Jets
-) 2 x 127mm Directional Jets
- 4 x 50mm Twin Spinner Jets



Aquagym Extreme Swim Spa



Dimensions: 398 x 231 x 130cm


- 3 x 127mm Single Spinning Jets

- \odot
- 2 x 127mm Directional Jets
- 22 x 50mm Directional Jets 12 x 50mm Twin Spinner Jets



PLUMBING SPECIFICATIONS


Aquagym Plunge Swim Spa





PLUMBING SPECIFICATIONS


Aquagym Pro/Pro Plus Swim Spa






PLUMBING SPECIFICATIONS

Aquagym Extreme Swim Spa






Aquagym Swim Spa





COVER SPECIFICATIONS





Aquagym.

Hydrotherapy	****
Jets	Up to 59
Volume	5700 litres
Seating	3 seats
Dimensions	3.98 x 2.31 x 1.3m high
	A CONTRACTOR OF THE OWNER

Seat layout

1. Back massage


2. Cool down seat

3. Neck and shoulder massage





Vortex Spas



Features

Spa features

LED backlit water cascade Spa health indicator Aromatherapy system Non-slip backlit drink holders Backlit laminar jets SmartSTREAM sound system*

Build

Thermoclad maintainence free cabinet Superior USA made Aristech acrylic Thermobond 4 layer shell construction 12 shell/cabinet colour combinations Steel frame construction Duraflex 'no kink' PVC plumbing

Water care

Purezone micro filtration Purezone CD Ozone water clarifyier Purezone UV sterilising system

*optional

Lighting

Programmable lighting Underwater LED floodlight Perimeter & cabinet lighting Hydroglow jet & topside control lighting

Hydrotherapy

Stainless steel jet casings Neck therapy collar Hydrotherapy lounger Individual seat pressure controls Hydroflow stainless steel spinning jets

Control

SpaNet premium control systems Smart phone app remote control* SmartLINK WIFI connectivity*

Efficiency

Intelligent thermal tuning High density lockable hardcover Perimeter insulation Dual layer insulation Hybrid heat pump* Arctic pack insulation*

Specifications	Plunge	Pro	Pro Plus	Extreme
Dry weight	1000kg	1020kg	1070kg	1120kg
Filled weight (inc cover)	6735kg	6755kg	6805kg	6855kg
Lift weight	1450kg	1450kg	1450kg	1450kg
Intuitive spa controller	SV2	SV3	SV3	SV4
Programmable circulation pump	250W	250W	250W	250W
Jet pumps	3hp x 1	3hp x 2	3hp x 3	3hp x 4
Variable speed airblower	Optional	1000W	1000W	1000W
Varia <mark>ble output</mark> heater	3kW	6kW	6kW	6kW
Electri <mark>cal requir</mark> ements	15 amps	32 amps	32 amps	40 amps

Warranties

Frame: Lifetime | Shell structure: 10 years | Acrylic surface: 5 years | Jets, plumbing & heater: 5 years | Pumps & equipment: 2 years