

Hydrozone Swim Spa Technical Information Pack




Dimensions: 591 x 230 x 130/150cm

A dual zone swim spa allowing dual water temperature settings.



Hydrozone Plunge Swim Spa





5 x 127mm Single Spinning Jets




- 6 x 75mm Directional Jets
- 9 x 75mm Single Spinning Jets
- o 4 x 50mm Directional Jets
- ② 2 x 50mm Twin Spinner Jets
- 16 x 40mm Air Jets



Hydrozone Pro Swim Spa

Dimensions: 591 x 230 x 130/150cm





2 x 150mm Swim Jets



5 x 127mm Single Spinning Jets




- 6 x 75mm Directional Jets
- 9 x 75mm Single Spinning Jets
- o 14 x 50mm Directional Jets
- (a) 12 x 50mm Twin Spinner Jets
- 16 x 40mm Air Jets



Hydrozone Pro Plus Swim Spa

Dimensions: 591 x 230 x 130/150cm





3 x 150mm Swim Jets



5 x 127mm Single Spinning Jets




- 6 x 75mm Directional Jets
- 9 x 75mm Single Spinning Jets
- 14 x 50mm Directional Jets
- (a) 12 x 50mm Twin Spinner Jets
- 16 x 40mm Air Jets



Hydrozone Extreme Swim Spa

Dimensions: 591 x 230 x 130/150cm





4 x 150mm Swim Jets




5 x 127mm Single Spinning Jets



- 6 x 75mm Directional Jets
- 9 x 75mm Single Spinning Jets
- o 14 x 50mm Directional Jets
- (a) 12 x 50mm Twin Spinner Jets
- 16 x 40mm Air Jets




Hydrozone Plunge Swim Spa






Hydrozone Pro/Pro Plus Swim Spa






Hydrozone Extreme Swim Spa





Hydrozone Swim Spa



Hydrozone.

Hydrotherapy

Jets

Up to 68

Volume

1259 / 5425 litres

Seating

5 seats

Dimensions

5.91 x 2.3 x 1.3m high

Seat layout

- 1. Back massage
- 2. Back massage
- 3. Neck and shoulder massage
- 4. Cool down seat
- 5. Lounger



Features

Spa features

Step down access

LED backlit water cascade

Spa health indicator

Drinks chest

Aromatherapy system

Non-slip backlit drink holders

Backlit laminar jets

SmartSTREAM sound system*

Build

Thermoclad maintainence free cabinet Superior USA made Aristech acrylic Thermobond 4 layer shell construction 12 shell/cabinet colour combinations

Steel frame construction

Duraflex 'no kink' PVC plumbing

Water care

Purezone micro filtration Purezone CD Ozone water clarifyier Purezone UV sterilising system

*optional

Lighting

Programmable lighting Underwater LED floodlight Perimeter & cabinet lighting Hydroglow jet & topside control lighting

Hydrotherapy

Stainless steel jet casings Neck therapy collar Hydrotherapy lounger Individual seat pressure controls Hydroflow stainless steel spinning jets

Control

SpaNet premium control systems Smart phone app remote control* SmartLINK WIFI connectivity*

Efficiency

Intelligent thermal tuning High density lockable hardcover Perimeter insulation Dual laver insulation Hybrid heat pump* Arctic pack insulation*

Specifications	Plunge	Pro	Pro Plus	Extreme
Dry weight	1380kg	1431kg	1480kg	1530kg
Filled weight (inc cover)	8123kg	8174kg	8223kg	8273kg
Lift weight	1900kg	1900kg	1900kg	1900kg
Intuitive spa controller	SV2+SV2	SV2+SV3	SV2+SV3	SV2+SV4
SpaNet SmartFlow jet pump	2	2	2	2
Jet pumps	3hp x 1+1	3hp x 2+1	3hp x 3+1	3hp x 4+1
Variable speed airblower	1000W	1000W	1000W	1000W
Variable output heater	3kW+3kW	6kW+3kW	6kW+3kW	6kW+3kW
Electrical requirements	15+15 amps	15+32 amps	15+32 amps	15+40 amps

Warranties

Hydrozone XD.

Hydrotherapy

* * * * *

Jets

Up to 68

Volume

1300 / 6000 litres

Seating

5 seats

Dimensions

5.91 x 2.3 x 1.5m high

Seat layout

- 1. Back massage
- 2. Back massage
- 3. Neck and shoulder massage
- 4. Cool down seat
- 5. Lounger



* Conditions apply. Specifications may change without notice. May be pictured with some options included. 1.3r shown

Features

Spa features

Step down access

LED backlit water cascade

Spa health indicator

Drinks chest

Aromatherapy system

Non-slip backlit drink holders

Backlit laminar jets

SmartSTREAM sound system*

Build

Thermoclad maintainence free cabinet Superior USA made Aristech acrylic Thermobond 4 layer shell construction 12 shell/cabinet colour combinations Steel frame construction

Duraflex 'no kink' PVC plumbing

Water care

Purezone micro filtration
Purezone CD Ozone water clarifyier
Purezone UV sterilising system

*optional

Lighting

Programmable lighting

Underwater LED floodlight

Perimeter & cabinet lighting

Hydroglow jet & topside control lighting

Hydrotherapy

Stainless steel jet casings

Neck therapy collar

Hydrotherapy lounger

Individual seat pressure controls

Hydroflow stainless steel spinning jets

Control

SpaNet premium control systems Smart phone app remote control* SmartLINK WIFI connectivity*

Efficiency

Intelligent thermal tuning

High density lockable hardcover

Perimeter insulation

Dual layer insulation

Hybrid heat pump*

Arctic pack insulation*

Specifications	Plunge XD	Pro XD	Pro Plus XD	Extreme XD
Dry weight	1450kg	1500kg	1531kg	1580kg
Filled weight (inc cover)	8809kg	8859kg	8890kg	8839kg
Lift weight	2000kg	2000kg	2000kg	2000kg
Intuitive spa controller	SV2+SV2	SV2+SV3	SV2+SV3	SV2+SV4
SpaNet SmartFlow jet pump	2	2	2	2
Jet pumps	3hp x 1+1	3hp x 2+1	3hp x 3+1	3hp x 4+1
Variable speed airblower	1000W	1000W	1000W	1000W
Variable output heater	6kW+3kW	6kW+3kW	6kW+3kW	6kW+3kW
Electrical requirements	15+15 amps	15+32 amps	15+32 amps	15+40 amps

Warranties